Subject index

aegirine, 513
albitites, 191
Alpe Arami, 481
Alpine orogeny, 513
'Alpine-type' tectonics, 239
amphibole, 581
amphibole zoning, 633
anatectic migmatites, 543
anatectic rocks, 381
anatexis, 57
andalusite, 191, 351
anorthosite, 845
anticlockwise *P–T* paths, 351

back reactions, 845
blueschist, 239, 513, 757
blueschists, 711
Bushveld Complex aureole, 135

calcian strontianite, 649
calcite, 255
calc-silicates, 429
Caledonides, 365
carbon, 781
carbon isotope thermometry, 335
carbonaceous material, 859
Caribbean, 581
central European Variscides, 413
channel flow, 9
chemical potential, 325
chlorite, 167
chlorite/smectite, 167
chloritoid, 757
clockwise *P–T* path, 365
contact aureole, 381
contact metamorphism, 203, 467
continental collision, 513
convergent orogens, 9
cooling, 887
Cooma Complex, 119
cordierite, 71, 99, 191, 351
cordierite gneisses, 543
corona, 467
Corsica, 513
Cretaceous Shimanto Accretionary Complex, 441

$\delta^{18}O$, 457
deformation mechanism, 413
deformation mechanisms, 381
deformed amphibolite, 297
dehydration, 669
dehydration melting, 543
dehydration-melting, 493
differential thermodynamic method (Gibbs' method), 563
diffusion, 727
diffusion modelling, 769
dilational strain, 493

East Greenland, 365
Eastern Alps, 203
eclogite, 151, 239, 325, 481, 581, 649, 873
eclogite facies, 813
Equilibrium phase diagrams, 309
exhumation, 9
exhumation rate, 633
exhumation velocities, 599
experimental rock deformation, 493
extension tectonics, 633

feldspar, 845
Fe_2O_3, 41
FIAs, 397
fluid activities, 71
fluid composition, 429
fluid flow, 283, 457
fluid inclusions, 845
fluid infiltration, 335
fluids, 649
fold mechanisms, 397
foliation development, 397
frequency of occurrence, 255

garnet, 457, 529, 563, 581, 769
garnet granulite, 669
Garnet Sm-Nd, 827
geospeedometry, 769
geotherm, 757
geothermobarometry, 711
geothermometer, 859
Gondwana, 543
grain boundary diffusion, 467
granitic complexes, 87
granulite, 1, 25, 57, 365, 621
granulite facies, 41
graphite, 429
graphitization, 859
growth textures, 467

Halls Creek Orogen, 217
heat producing elements, 87
heterogeneous strain, 397
High-pressure granulite, 741, 887
high-*T* low-*P* metamorphism, 1, 57, 119, 217
high-temperature metamorphic field gradient, 413
hornblende–clinozoisite and clinopyroxene–kyanite symplectites, 669
HP–LT metamorphism, 599
hydrothermal, 175

inclusion trails, 283
incongruent pressure solution, 297
irreversible transformation, 859
isotopes, 781
isotopic exchange, 429

jadeite, 757

KFMASH petrogenetic grid, 543
KFMASHTO, 41
kinetics, 325
kiruna, 175
kyanite, 191, 325

© Blackwell Science Inc., 0263-4929/02 $15.00

Lachlan Fold Belt, 119
Lachlan Orogen, 711
laser-probe $^{40}Ar/^{39}Ar$ dating, 599
lawsonite, 529
Lepontine Dome, 309
lower crust, 669

magmatic arc, 887
marble, 335, 649
Maskyutovo Complex, 529
melt distribution, 381, 493
melt loss, 621
melt segregation, 381, 493
melting, 1, 71, 621
metamorphic facies, 441
metamorphic processes, 1
metamorphism, 71, 781
metapelite, 41, 99, 309, 621
metasomatism, 1, 191
metastable reactions, 135
metatroctolites, 813
meteorite impact, 57
microcracks, 283
microstructures, 1, 25, 135
migmatite, 1, 25, 71
mineral equilibria, 151
mineralogical phase rule, 255
mixed volatile reaction, 255
mixed-layer, 167
mélange, 711
Moldanubian zone, 413
Murrumbidgee Batholith, 119
mylonite, 203
myrmekite, 203

Nanga Parbat Haramosh Massif, 827
NCFMASH, 151, 813
near-isothermal decompression, 365
New Caledonia, 151
New Zealand, 669
nodules, 175
North China craton, 741
Norway, 649
Notch Peak aureole, 429
numerical simulation, 801
NW Himalaya, 827

omphacite, 481
oscillatory zoning, 581
overstepping, 135
oxygen, 781

Palaeoproterozoic, 741
partial melting, 413
pelite, 57
petrogenetic grid, 41, 99
phase diagram, 697
phase equilibria, 99
phengite, 529, 599
plagioclase corona, 325
plutonism, 217
porphyroblast, 135, 801
porphyroblast growth, 283
preferential dissolution and precipitation, 297
prehnite–actinolite facies, 441
Prograde, 827
prograde *P–T* path, 563
pseudosection, 151, 697, 827
P–T path, 25, 239, 741, 887
P–T–d paths, 191
P–T-pseudosections, 239
P-T-t path, 827
pumpellyite–actinolite facies, 441

Qinling–Dabie orogen, 873
quartz microstructure, 633
quartz sillimanite, 175
quartz-albite, 175

Raman microspectroscopy, 859
Rb–Sr ages, 263
reaction isograds, 309
reaction progress, 167
reaction reversal, 25
reaction rims, 467
reaction textures, 741
reaction weakening, 297
regional metamorphism, 9, 859
retrograde processes, 25
retrograde reaction, 1
rock properties, 697
rodingite, 529
Rogaland, 727
Ron Vernon, 1
Ryoke metamorphic belt, 297

Sambagawa metamorphic belt, 563, 633
seismic velocity, 697
shear zones, 263
SHRIMP ion microprobe, 727
SHRIMP U–Pb dating, 873
smectite, 167
southern India, 335, 543
spiral inclusion trails, 801
staurolite, 191, 351
stepdaughters, 845
strontium, 781
subduction zone, 441, 757
Sybella Batholith, 87

Tauern eclogites, 769
tectonics, 263
thermal modelling, 217, 441
thermal-mechanical models, 9
thermobarometry, 263, 887
THERMOCALC, 41
thermodynamics, 99, 697
timing, 457
TiO_2, 41
titanite, 529
trace element, 727, 873
Turkey, 757

UHT granulites, 727
UHT metamorphism, 335, 481
underplating, 711

volatile phase, 1

Western Alps, 263, 599, 813
western Tianshan, 239
wollastonite isograd, 429

yttrium, 457

zircon, 873
zircon chemistry, 727

Author index

Agard, P., Monié, P., Jolivet, L. & Goffé, B. Exhumation of the Schistes Lustrés complex: *in situ* laser probe $^{40}Ar/^{39}Ar$ constraints and implications for the Western Alps, 599
Alias, G., Sandiford, M., Hand, M. & Worley, B. The *P–T* record of synchronous magmatism, metamorphism and deformation at Petrel Cove, southern Adelaide Fold Belt, 351
Annersten, H. *see* Skelton, A.
Argles, T. *see* Foster, G.
Austrheim, H. *see* Boundy, T. M.

Bakker, R. J. *see* Kleinefeld, B.
Banno, S. *see* Goto, A.
Barker, A. J. Crack-fill porphyroblastesis, 283
Barnicoat, A. C. *see* Cartwright, I.
Barr, S. M. *see* White, C. E.
Beaumont, C. *see* Jamieson, R. A.
Bell, T. H. & Chen, A. The development of spiral-shaped inclusion trails during multiple metamorphism and folding, 397
Beyssac, O., Goffé, B., Chopin, C. & Rouzaud, J. N. Raman spectra of carbonaceous material in metasediments: a new geothermometer, 859
Bickle, M. J. *see* Evans, K. A.
Bodorkos, S., Sandiford, M., Oliver, N. H. S. & Cawood, P. A. High-*T*, low-*P* metamorphism in the Palaeoproterozoic Halls Creek Orogen, northern Australia: the middle crustal response to a mantle-related transient thermal pulse, 217
Boundy, T. M., Donohue, C. L., Essene, E. J., Mezger, K. & Austrheim, H. Discovery of eclogite facies carbonate rocks from the Linds Nappe, Caledonides, Western Norway, 649
Braun, I. *see* Cenki, B.
Brown, M. *see* Marchildon, N.
Brown, M. & Clarke, G. L. Metamorphic processes: A celebration of the career contributions of Ron Vernon, 1
Brown, M. Retrograde processes in migmatites and granulites revisited, 25
Buick, I. S. *see* Harley, S. L.

Cartwright, I. & Barnicoat, A. C. Petrology, geochronology, and tectonics of shear zones in the Zermatt–Saas and Combin zones of the Western Alps, 263
Cawood, P. A. *see* Bodorkos, S.
Cenki, B., Kriegsman, L.M. & Braun, I. Melt-producing and melt-consuming reactions in the Achankovil cordierite gneisses, South India, 543
Cesare, B., Marchesi, C. & Connolly, J. A. D. Growth of myrmekite coronas by contact metamorphism of granitic mylonites in the aureole of Cima di Vila, eastern Alps, Italy, 203
Chapman, H. *see* Evans, K. A.
Chen, A. *see* Bell, T. H.
Cheney, J. T. *see* Pattison, D. R. M.
Chopin, C. *see* Beyssac, O.
Clarke, G. L. *see* Daczko, N. R.
Clarke, G. L. *see* Marmo, B. A.
Clarke, G. L. *see* White, R. W.
Clarke, G. L. *see* Brown, M.
Coggon, R. & Holland, T. J. B. Mixing properties of phengitic micas and revised garnet-phengite thermobarometers, 683
Collins, W. J. *see* Richards, S. W.
Connolly, J. A. D. & Petrini, K. An automated strategy for calculation of phase diagram sections and retrieval of rock properties as a function of physical conditions, 697
Connolly, J. A. D. *see* Cesare, B.
Cunningham, B. *see* McLelland, J.

Dachs, E. & Proyer, A. Constraints on the duration of high-pressure metamorphism in the Tauern Window from diffusion modelling of discontinuous growth zones in eclogite garnet, 769
Daczko, N. R., Clarke, G. L. & Klepeis, K. A. Kyanite-paragonite-bearing assemblages, northern Fiordland, New Zealand: rapid cooling of the lower crustal root to a Cretaceous magmatic arc, 887
Daczko, N. R., Stevenson, J. A., Clarke, G. L. & Klepeis, K. A. Successive hydration and dehydration of high-*P* mafic granofels involving clinopyroxene–kyanite symplectites, Mt Daniel, Fiordland, New Zealand, 669
De Capitani, C. *see* Nagel, T.
DeBuhr, C. L. *see* Pattison, D. R. M.
Dobrzhinetskaya, L. F., Schweinehage, R., Massonne, H.-J. & Green, H. W. Silica precipitates in omphacite from eclogite at Alpe Arami, Switzerland: evidence of deep subduction, 481
Donohue, C. L. *see* Boundy, T. M.

Escher, J. C. *see* Jones, K. A.
Essene, E. J. *see* Boundy, T. M.
Evans, K. A., Bickle, M. J., Skelton, A. D. L., Hall, M. & Chapman, H. Reductive deposition of graphite at lithological margins in East Central Vermont: a Sr, C and O isotope study, 781

Foster, D. A. *see* Spaggiari, C. V.
Foster, G., Vance, D., Argles, T. & Harris, N. The Tertiary collision-related thermal history of the NW Himalaya, 827
Frey, M. *see* Nagel, T.
Fujimoto, A. *see* Imon, R.

Gao, J. *see* Klemd, R.
Garcia-Casco, A., Torres-Roldán, R.L., Millán, G., Monié, P. & Schneider, J. Oscillatory zoning in eclogitic garnet and amphibole, Northern Serpentinite Melange, Cuba: a record of tectonic instability during subduction?, 581
Giacomini, F. *see* Tribuzio, R.
Gibson, R. L. Impact-induced melting of Archean granulites in the Vredefort Dome, South Africa. I: anatexis of metapelitic granulites, 57
Goffé, B. *see* Agard, P.
Goffé, B. *see* Beyssac, O.
Goto, A., Banno, S., Higashino, T. & Sakai, C. Occurrence of calcite in Sanbagawa pelitic schists: implications for the formation of garnet, rutile, oligoclase, biotite and hornblende, 255
Gray, D. R. *see* Spaggiari, C. V.
Green, H. W. *see* Dobrzhinetskaya, L. F.
Guidotti, C. V. *see* Pattison, D. R. M.
Guo, J. H., O'Brien, P. J. & Zhai, M. High-pressure granulites in the Sanggan area, North China craton: metamorphic evolution, *P–T* paths and geotectonic significance, 741

Hall, M. *see* Evans, K. A.
Hand, M. *see* Alias, G.
Harley, S. L., Thompson, P., Hensen, B. J. & Buick, I. S. Cordierite as a sensor of fluid conditions in high-grade metamorphism and crustal anatexis, 71
Harris, N. *see* Foster, G.
Heinrich, W. *see* Milke, R.
Hensen, B. J. *see* Harley, S. L.
Higashino, T. *see* Goto, A.
Holland, T. J. B. *see* Coggon, R.
Holyoke, C. W. & Rushmer, T. An experimental study of grain scale melt segregation mechanisms in two common crustal rock types, 493

Ikei, H. *see* Stallard, A.
Imon, R., Okudaira, T. & Fujimoto, A. Dissolution and precipitation processes in deformed amphibolites: an example from the ductile shear zone of the Ryoke metamorphic belt, SW Japan, 297
Inui, M. & Toriumi, M. Prograde pressure–temperature paths in the pelitic schists of the Sambagawa metamorphic belt, SW Japan, 563

Jamieson, R. A., Beaumont, C., Nguyen, M. H. & Lee, B. Interaction of metamorphism, deformation and exhumation in large convergent orogens, 9
Jamieson, R. J. *see* White, C. E.
Jolivet, L. *see* Agard, P.
Jones, K. A. & Escher, J. C. Near-isothermal decompression within a clockwise *P–T* evolution recorded in migmatitic mafic granulites from Clavering Ø, NE Greenland: implications for the evolution of the Caledonides, 365

Kennedy, A. *see* Mller, A.
Kleinefeld, B. & Bakker, R. J. Fluid inclusions as microchemical systems: evidence and modelling of fluid–host interactions in plagioclase, 845
Klemd, R., Schrter, F. C., Will, T. M. & Gao, J. *P–T* evolution of glaucophane-omphacite bearing HP–LT rocks in the western Tianshan Orogen, NW China: new evidence for 'Alpine-type' tectonics, 239
Klepeis, K. A. *see* Daczko, N. R.
Kriegsman, L.M. *see* Cenki, B.
Krner, A. *see* Mller, A.

Lee, B. *see* Jamieson, R. A.
Lewthwaite, K. A. *see* Rubenach, M. J.
Lovegrove, D. P. *see* Waters, D. J.

McLaren, S. *see* Sandiford, M.
McLelland, J., Morrison, J., Selleck, B., Cunningham, B., Olson, C. & Schmidt, K. Hydrothermal alteration of late- to post-tectonic Lyon Mountain Granitic Gneiss, Adirondack Mountains, New York: Origin of quartz–sillimanite segregations, quartz–albite lithologies, and associated Kiruna-type low-Ti Fe-oxide depsoits, 175
Marchesi, C. *see* Cesare, B.
Marchildon, N. & Brown, M. Grain-scale melt distribution in two contact aureole rocks: implications for controls on melt localization and deformation, 381
Marmo, B. A., Clarke, G. L. & Powell, R. Fractionation of bulk rock composition due to porphyroblast growth: effects on eclogite facies mineral equilibria, Pam Peninsula, New Caledonia, 151
Massonne, H.-J. *see* Dobrzhinetskaya, L. F.
Masuda, T. *see* Stallard, A.
Mezger, K. *see* Boundy, T. M.
Milke, R. & Heinrich, W. Diffusion-controlled growth of wollastonite rims between quartz and calcite: comparison between nature and experiment, 467
Millán, G. *see* García-Casco, A.
Miyazaki, K. & Okumura, K. Thermal modelling in shallow subduction: an application to low *P/T* metamorphism of the Cretaceous Shimanto accretionary complex, Japan, 441
Mller, A., O'Brien, P. J., Kennedy, A. & Krner, A. Polyphase zircon in ultrahigh-temperature granulites (Rogaland, SW Norway): constraints for Pb diffusion in zircon, 727
Monié, P. *see* Agard, P.
Monié, P. *see* García-Casco, A.
Morrison, J. *see* McLelland, J.

Nabelek, P. I. Calc-silicate reactions and bedding-controlled isotopic exchange in the Notch Peak Aureole, Utah: implications for differential fluids fluxes with metamorphic grade, 429
Nagel, T., De Capitani, C. & Frey, M. Isograds and *P–T* evolution in the eastern Lepontine Alps (Graubnden, Switzerland), 309
Nakamura, D. Kinetics of decompressional reactions in eclogitic rocks – formation of plagioclase coronas around kyanite, 325
Neumann, N. *see* Sandiford, M.
Nguyen, M. H. *see* Jamieson, R. A.

O'Brien, P. J. *see* Guo, J. H.
O'Brien, P. J. *see* Mller, A.
Okay, A. I. Jadeite–chloritoid–glaucophane–lawsonite blueschists in northwest Turkey: unusually high *P/T* ratios in continental crust, 757
Okudaira, T. *see* Imon, R.
Okumura, K. *see* Miyazaki, K.
Oliver, N. H. S. *see* Bodorkos, S.
Olson, C. *see* McLelland, J.

Pattison, D. R. M., Spear, F. S., DeBuhr, C. L., Cheney, J. T. & Guidotti, C. V. Thermodynamic modelling of the reaction muscovite + cordierite → Al_2SiO_5 + biotite + quartz + H_2O: contraints from natural assemblages and implications for the metapelitic petrogenetic grid, 99
Petrini, K. *see* Connolly, J. A. D.
Powell, R. *see* Marmo, B. A.
Powell, R. *see* Rebay, G.
Powell, R. *see* White, R. W.
Proyer, A. *see* Dachs, E.

Rebay, G. & Powell, R. The formation of eclogite facies metatroctolites and a general petrogenetic grid in Na_2O–CaO–FeO–MgO–Al_2O_3–SiO_2–H_2O (NCFMASH), 813
Reynolds, P. H. *see* White, C. E.
Richards, S. W. & Collins, W. J. The Cooma Metamorphic Complex, a low-*P* high-*T* (*LPHT*) regional aureole beneath the Murrumbigee Batholith, 119
Robinson, D., Schmidt, S. Th. & Santana de Zamora, A. Reaction pathways and reaction progress for the smectite-to-chlorite transformation: evidence from hydrothermally altered metabasites, 167
Rouzaud, J. N. *see* Beyssac, O.
Rubenach, M. J. & Lewthwaite, K. A. Metasomatic albitites and related biotite-rich schists from a low-pressure polymetamorphic terrane, Snake Creek Anticline, Mount Isa Inlier, northeastern Australia: microstructures and *P–T–d* paths, 191
Rushmer, T. *see* Holyoke, C. W.

Sakai, C. *see* Goto, A.
Sandiford, M., McLaren, S. & Neumann, N. Long-term thermal consequences of the redistribution of heat-producing elements associated with large-scale granitic complexes, 87
Sandiford, M. *see* Alias, G.
Sandiford, M. *see* Bodorkos, S.
Santana de Zamora, A. *see* Robinson, D.
Santosh, M. *see* Satish-Kumar, M.
Satish-Kumar, M., Wada, H. & Santosh, M. Constraints on the application of carbon isotope thermometry in high- to ultrahigh-temperature metamorphic terranes, 335
Scheuvens, D. Metamorphism and microstructures along a high-temperature metamorphic field gradient: the north-eastern boundary of the Královsk hvozd unit (Bohemian Massif, Czech Republic), 413
Schmidt, K. *see* McLelland, J.
Schmidt, S. Th. *see* Robinson, D.
Schneider, J. *see* Garcia-Casco, A.
Schrter, F. C. *see* Klemd, R.
Schulte, B. & Sindern, S. K-rich fluid metasomatism at high-pressure metamorphic conditions: Lawsonite decomposition in rodingitized ultramafite of the Maksyutovo Complex, Southern Urals (Russia), 529
Schweinehage, R. *see* Dobrzhinetskaya, L. F.
Selleck, B. *see* McLelland, J.
Shuguang Li *see* Weidong Sun
Sindern, S. *see* Schulte, B.
Skelton, A. D. L. *see* Evans, K. A.
Skelton, A., Annersten, H. & Valley, J. $\delta^{18}O$ and yttrium zoning in garnet: time markers for fluid flow?, 457
Spaggiari, C. V., Gray, D. R. & Foster, D. A. Blueschist metamorphism during accretion in the Lachlan Orogen, south-eastern Australia, 711
Spear, F. S. *see* Pattison, D. R. M.
Stallard, A., Ikei, H. & Masuda, T. Numerical simulations of spiral-shaped inclusion trails: can 3D geometry distinguish between end-member models of spiral formation?, 801
Stevenson, J. A. *see* Daczko, N. R.

Takeshita, T. *see* Yagi, K.
Thompson, P. *see* Harley, S. L.
Toriumi, M. *see* Inui, M.
Torres-Roldán, R.L. *see* Garcia-Casco, A.
Tribuzio, R. & Giacomini, F. Blueschist facies metamorphism of peralkaline rhyolites from the Tenda crystalline massif (northern Corsica): evidence for involvement in the Alpine subduction event?, 513

Valley, J. *see* Skelton, A.
Vance, D. *see* Foster, G.

Wada, H. *see* Satish-Kumar, M.
Waters, D. J. & Lovegrove, D. P. Assessing the extent of disequilibrium and overstepping of prograde metamorphic reactions in metapelites from the Bushveld Complex aureole, South Africa, 135
Weidong Sun, Shuguang Li & Williams, I. S. Carboniferous and Triassic eclogites in the western Dabie Mountains, east-central China: evidence for protracted convergence of the North and South China Blocks, 873
White, C. E., Barr, S. M., Jamieson, R. J. & Reynolds, P. H. Erratum, 453
White, R. W. & Powell, R. Melt loss and the preservation of granulite facies mineral assemblages, 621
White, R. W., Powell, R. & Clarke, G. L. The interpretation of reaction textures in Fe-rich metapelitic granulites of the Musgrave Block, central Australia: constraints from mineral equilibria calculations in the system K_2O–FeO–MgO–Al_2O_3–SiO_2–H_2O–TiO_2–Fe_2O_3, 41
Will, T. M. *see* Klemd, R.
Williams, I. S. *see* Sun, W.
Worley, B. *see* Alias, G.

Yagi, K. & Takeshita, T. Regional variation in exhumation and strain rate of the high-pressure Sambagawa metamorphic rocks in central Shikoku, south-west Japan, 633

Zhai, M. *see* Guo, J. H.